

①	<i>Lamium amplexicaule</i>	19 Ap 1813	2: 73	fls. F-Ap
2)	<i>Hyptis capitata</i>	30 Jl 1811	2: 78	"I doubt much whether this West Indian species notwithstanding the reference to Mich. and Pursh, belongs to our flora. Mich. describes but one species and the preceding is diffused everywhere over our country. Michaux describes besides was so cautious in proposing new species, that he hesitated to separate our plant from the original species of Jacquin, and Pursh's information respecting our southern plants was not always accurate."
3)	<i>Clinopodium incanum</i>	16 Au 1811 published as <i>Pycnanthemum incanum</i>	2: 70 ⁹	fls. Au-S
4)	<i>Scutellaria hyssopifolia</i>	12 My 1812 published as <i>integrifolia</i>	2: 88	fls. My-Au
5)	<i>Scutellaria pilosa</i>	16 My 1812	2: 91	fls. My-July
6)	<i>Teucrium Canadense</i>	20 Au 1810	2: 69	fls. Jl-S
7)	<i>Thymus Carolinianus</i>	20 Jl 1810 pub. as <i>Calamintha grandiflora</i>	2: 93	fls. Je-Au along rivers in middle and upper country abundant near Columbia, S.C.
8)	<i>Antirrhinum Canadense</i>	9 Ap 1811	2: 113	fls. Mr-Ap
9)	<i>Pedicularis Canadensis</i>	15 Mr 1811	2: 123	fls. Mr-Ap
10)	<i>Monnieria cuneifolia</i>	12 S 1810 pub. as <i>Herpestis cuneifolia</i>	2: 103.	fls. My-O
11)	<i>Monnieria amplexicaulis</i>	2 S 1812 pub. as <i>Herpestis amplexicaulis</i>	2: 104	fls. Jl-S
12)	<i>Verbena Publetia</i>	12 Ap 1811	2: 96	fls. Ap-S grows in dry pine barrens of middle country of Carolina and Ga.
13)	<i>Verbena Caroliniana</i>	8 Je 1811	2: 99	fls. My-Jl
14)	" <i>urticifolia</i>	7 S 1812	2: 98	fls. Jl-O
15)	" <i>hastata</i>	26 Au 1812	2: 97	fls. Jl-Au grows in middle country of Carolina and Georgia
16)	<i>Buchnera Americana</i>	25 Au 1811	2: 112	fls. My-S
17)	<i>Scorrophularia Marylandica</i>	27 S 1812 Paris Island	2: 106	fls. Au-O
18)	<i>Ruellia oblongifolia</i>	18 My 1811	2: 110	fls. My to close of summer
19)	<i>Gerardia pedicularis</i> ^a	1 Au 1810	2: 121	fls. Jl-S
20)	" <i> fasciculata</i>	21 Au 1810	2: 115	fls. Au-O on Edling's Island near Beaufort
21)	" <i> heterophylla</i> as <i>quercifolia</i>	25 Au 1810	2: 120	fls. My-S

(3)

Mentha tenuis

no date

2:72

fls. Ap-S
3 miles from Beaufort

(9)

Thymus

Thymbra Caroliniana

✓ 28 S 1812

pub. as *Macbridea pulcha*

2:86

fls. Au-S

grows in narrow swamps,
through pine barrens in
middle districts of

Carolina. Very abundant
between Saltcatcher bridge and Murphy's bridge on Edisto
River. I named this genus in commemoration of the late
Dr. James Macbride whose untimely death, med'cine and
natural history, and an admiring country equally deplore

✓	Gerardia afzelia pub. as <i>Seymaria tenuifolia</i>	✓ 27 S 1810	✓ 2: 122	fls. Au-S
✓	" <i>tenuifolia</i>	✓ 27 S 1810	✓ 2: 117	fls. Au-O 2 miles from Beaufort on the Bat- tery Rd, to me very rare
✓	" <i>erecta</i> ? <i>assetacea</i> (Savannah)	✓ 28 S 1810	✓ 2: 115	Fls. Au-O
✓	" <i>setacea</i>	✓ 2 S 1812	✓ 2: 115	fls. Au-O
✓	Bignonia radicans	✓ 25 Jl 1810	✓ 2: 107	fls. Je-S
✓	" <i>catalpa</i>	✓ 11 My 1812	✓	
✓	Martynia proboscidea	✓ 20 Je 1811	✓ 2: 130	fls. Je-Au Beaufort
✓	Lippia nodiflora ✓ pub. as <i>Zapania nodiflora</i>	✓ 28 Au 1811	✓ 2: 101	fls. throughout summer
✓	Mimulus alatus	✓ 30 Au 1811	✓ 2: 124	fls. Au-S pine bar- rens of Carolina
✓	Chelone obliqua	✓ 30 S 1814	✓ 2: 127	fls. Au Grows in
✓	Columbia S.C. Cooper River		✓ 129 or ✓	mountains of Carolina and Georgia
✓	Pentstemon perfoliatus ^{maxima} sp. ^{sp.}		✓	
✓	Pentstemon laevigatum Stony Creek)	✓ 5 S 1812	✓ 2: 128	fls. Je-S
✓	Cakile maritima ✓ pub. as Americana	✓ 20 Ap 1813	✓ 2: 137	fls. Ap-Je
✓	Lepidium Virginicum	✓ 14 My 1811	✓ 2: 140	fls. Ap-My
✓	Coronopus didyma	✓ 13 Je 1813	✓ 2: 139	fls. F-July
✓	Sisyrion Sophia ^{mbr} bipinnatum ^{Sp. n.} bipinnatum ^{Sophia} pub. as canescens	✓ 6 Ap 1811 ✓ 6 Ap 1811	✓ 2: 147	fls. Mr-Ap
✓	" <i>Tanacetifolium</i> Walt. pub. as <i>Walteri</i>	✓ 16 My 1811	✓ 2: 146	fls. F-My common around Charlestown & Beaufort
✓	" <i>amphibium</i> ?	✓ 25 Ap 1812	✓ 2: 146	fls. Mr-Ap sometimes in autumn river swamps of Ogeechee
✓	Cardamine Pennsylvania	✓ 13 Mr 1811	✓ 2: 144	fls. F-Ap
✓	" <i>spathulata</i>	✓ 7 Ap 1814	✓ 2: 143	middle districts of Carolina
✓	Sisyrinchium Bermudianum	✓ 13 Mr 1812	✓ 2: 152	fls. Mr-My
✓	Passiflora incarnata	✓ 17 Je 1811	✓ 2: 153	fls. My-Jl

Jubaea grows in the scrub in
wiff's country of Goj Chal
Jpl May - S

46	<i>Geranium maculatum</i>	<i>fls. Ap</i> no date	2:157	fls. Ap-My rich oak lands of upper country
47	<i>Carolinianum</i>	14 Ap 1812	2:157	fls. Mr-My
48	<i>Malva Caroliniana</i>	13 My 1811	2:163	fls. Ap-Je
49	<i>Stewartia</i>	30 S 1813	2:172	as <i>Stewartia</i>
50	<i>Hibiscus moscheutos</i>	16 Je 1811	2:165	fls. Je-S
51	" <i>scaber</i>	5 Jl 1810	2:169	fls. Je-S
52	3. <i>gorgia</i> <i>atland Carolinianus?</i>	6 Jl 1810	2:168	fls. Je-S Georgia
53	" <i>militaris</i>	11 Jl 1810	2:168	fls. Jl-S along margin of rivers in middle & upper country found though rarely in swamps near Georgia
54	" <i>grandiflorus</i> Georgia?	27 Jl 1810	2:166	fls. Jl-S grows around ponds in southern parts of Georgia
55	" <i>Virginicus</i> <i>Edings Island</i>	22 Au 1810	2:167	fls. Jl-S common on islands near Ocean
56	" <i>speciosus</i>	4 Au 1810	2:170	fls. Jl-S Florida and perhaps in southern parts of Georgia. It is enumerated by Walter among plants of Carolina but I have never seen it in the woods although common in- habitant of our gardens
57	<i>Sida gracilis</i>	6 S 1811	2:159	fls. Au-S Sea islands common about Beaufort
58	" <i>rhombifolia</i>	4 O 1811	2:160	fls. Jl-O
59	" <i>spinosa</i>	28 Mr 1812	2:161	fls. My-Jl
60	<i>Gordonia lasianthus</i>	27 Je 1813	2:171	fls. My-Au
61	" <i>pubescens</i> Fort Barrington, Altamaha	22 Je 1814	2:171	fls throughout summer The habitat of this tree ap- pears to be very limited, a few trees were found by Bartram nr. Fort. Barrington on the Altamaha, and from the same spot all the plants now in gardens have been de- rived.

6 ✓ ✓ ✓	<i>Aster tortifolius</i>	10 Au 1810	✓ 2:341.	fls. Au-S Carol and Georgia
53 " "	<i>sparsiflorus</i>	30 S 1810	✓ 2:346	grows in low country of Carolina
64 " "	<i>concolor</i>	14 O 1810	✓ 2:350	fls. S-O
65 " "	<i>foliolosus?</i>	14 O 1810	✓ 2:345	fls. S-O
66 " "	<i>undulatus</i>	29 O 1810	✓ 2:361	fls. S-N
67 " "	<i>diversifolius</i>	30 O 1810	✓ 2:361	fls. S-N
68 " "	<i>linariifolius</i>	1 N 1810	✓ 2:365	fls. S-N?
69 " "	<i>squarrosus</i>	6 N 1810	✓ 2:350	fls. S-N
70 " "	<i>puniceus?</i>	11 N 1810	✓ 2:355	fls. O-N along mar gins of our rivers very common on tide lands of the Ogeechee
71 " "	<i>Mariolandicus?</i> pub. as <i>conyzoides</i>	17 J1 1811	✓ 2:341	fls. Je-Au middle and upper districts Carolina and Georgia
72 " "	<i>subulatis</i>	23 S 1811	✓ 2:345	fls. S-O
73 " "	<i>involucratus</i> Columbia, S.C.	15 O 1811	✓	
74 " "	<i>paludosus</i>	9 N 1811	✓ 2:343	fls. O-N
75 " "	<i>liatroides</i> pub. as <i>surculosus?</i>	10 N 1811	✓ 2:254	fls. O-N Carolina in flat pine barrens near Purysburg
76 " "	<i>Columbia</i>	28 Au 1812	✓	
77 " "	<i>diffusus?</i>	21 O 1812	✓	
78 " "	<i>laevigatus</i>	22 O 1812	✓ 2:359	fls. O-S
79 " "	<i>scaber</i>	23 O 1812	✓ 2:363	fls. S-O
80 <i>Dalea Kuhnistera</i> pub. as <i>Petalostemum carneum</i>	<i>Corymbosum</i>	6 O 1810	✓ 2: 176	fls. J1-S-O
81 Polygala pubescens		9 J1 1810	✓ 2:180	fls. My-Au
82 " lutea		19 My 1811	✓ 2:185	fls. throughout
83 " polygama		20 Je 1811	✓ 2:181	whole summer
84 " virescens		20 Mr 1812	✓ 2:186	fls. My-J1
85 " verticillata	Beaufort, Black Point	4 J1 1812	✓ 2:182	fls. though whole summer
				fls. Je-J1

86	<i>Polygala incarnata</i>	23 Mr 1814	2: 185	fls. My-Au
87	<i>Phaseolus perennis</i>	18 Au 1811	2: 228	fls. Jl-S
88	<i>Clitoria mariana</i>	12 Jl 1810	2: 241	fls. My-Au
89	" <i>Virginiana</i>	12 Jl 1810	2: 240	fls. Je-S
90	<i>Glycine angulosa</i> ✓ pub. as <i>Strophostyles angulosa</i>	4 S 1810	2: 229	fls. Au-O on sea coast of Carolina, the leaves of this plant vary as I have described them. Dr. Baldwin sent me, from the neighborhood of St. Mary's ... 2: 234 fls. My-Jl
91	<i>Glycine tomentosa</i>	18 Jl 1811		
92	" <i>pubescens</i>	16 Jl 1811		
93	" <i>simplicifolia</i>	18 Jl 1811	2: 234	fls. My-Au
94	" <i>umbellata</i>	6 Au 1811		
95	" <i>apios</i> pub. as <i>Aplos tuberosa</i>	17 Au 1811 8 Jl 1810	2: 232 2: 239	fls. Jl-Au fls. throughout summer
96	<i>Galactia glabella</i>			
97	" <i>pinnata</i>	14 Jl 1810		
98	" <i>mollis</i>	26 Jl 1810	2: 238	fls. through summer
99	<i>Indigofera Caroliniana</i>	29 Jl 1811	2: 244	fls. Jl-S
100	<i>Lupinus perennis</i>	27 Mr 1812	2: 191	fls. Ap
101	" <i>pilosus</i> pub. as <i>villosus</i>	<i>fl by Ap</i>	2: 191	fls. Ap <i>beginning</i>
102	<i>Stylosanthes elatior</i>	17 Jl 1810	2: 203	fls. My-Au
103	<i>Crotalaria parviflora</i>	19 Je 1811	2: 193	fls. Ap-Jl
104	<i>Galega hispida?</i> <i>but in <i>Septoria</i> h.</i>	11 Jl 1810	2: 245	fls. My-Au
105	" <i>villosa?</i> <i>but in <i>Septoria</i> p.</i>	18 Jl 1810	2: 246	fls. through summer
106	<i>Zornia tetraphylla</i>	30 Jl 1811	2: 219	fls. Je-Au
107	<i>Psoralea melilotoides</i>	25 My 1811	2: 198	fls. My-Je
108	<i>Robinia pseudacacia</i>	7 Ap 1811	2: 242	<i>No My</i> grows in mountains in rich fertile soils not found in its na- tive state on sea coast of Carolina
109	" <i>hispida</i>	21 Ap 1811	2: 243	fls. Ap grows in mountains of Carolina

110	<i>Hedysarum viridiflorum</i>	7 S 1810	2: 217.	fls. Je-O
11	" <i>Marylandicum</i>	16 S 1810	2: 214.	Jl-Au
12	" <i>panicum</i> - <i>Glabellum</i>	10 S 1810	—	
13	" <i>paniculatum</i>	10 S 1810	2: 210	Au-S
14	" <i>nudiflorum</i>	9 Jl 1811	2: 209	Je-Au
15	" <i>canescens</i> ?	10 Jl 1811	—	
16	" <i>acuminatum</i>	18 Au 1811	2: 209	Je-Au
17	" <i>violaceum</i>	20 Au 1811	—	
18	" <i>procumbens</i> <i>varia specie</i> ?	26 Au 1811	—	
19	" <i>bracteosum</i>	8 S 1811	2: 213	Au-S
20	" <i>frutescens</i> ?	7 S 1811	2: 206	S grows in the upper districts of Carolina common nr. Columbia
21	"	9 S 1811	—	
22	" <i>hirta</i>	12 S 1811	2: 207	S
23	" <i>sericea</i> ?	13 S 1811	—	
24	" <i>obtusum</i>	24 S 1811	2: 212	S
25	"	24 S 1811	—	
26	" <i>coriaceum</i>	26 S 1811	—	
27	" <i>rhomboideum</i>	28 S 1811	2: 216	S-O about Beaufor
28	" <i>repens</i>	13 S 1812	—	
29	<i>Symplocos tinctoria</i> as <i>Hopaea tinctoria</i>	7 Mr 1812	2: 173	Mr
30	<i>Hypericum rosmarinifolium</i> ?	24 Jl 1810	2: 29	Je-Au <i>all white</i>
31	(<i>rudolfianum</i> <i>virginicum</i>)	24 Au 1810	—	
32	" <i>virginicum</i> as <i>Elodea virginicum</i>	18 S 1810	2: 33	Au-S
33	" <i>glaucum</i>	7 Je 1811	2: 32	My-Je
34	" <i>1/4 miles N of Ogeschee Ferry</i> " <i>parviflorum</i>	15 Jl 1811	2: 24	Je-S
35	" <i>simplex</i>	22 Au 1811	2: 28	Je-S
36	" <i>pétiolatum</i> as <i>Elodea pétiolatum</i>	12 S 1811	2: 34	Au-S
37	" <i>angulatum</i>	4 Je 1812	—	
38	" <i>maculatum</i>	13 Je 1812	2: 27	My-Au
39	" <i>nudiflorum</i>	14 Je 1812	2: 32	Au-S

Sargent, Silva [✓] II: 159. 1897. Bot. Mag. pl. 2758. [✓] 1827.

Applet. Cycl. Am. Brdg. ²: 331. 1887. Relig. Baldwin. 13, 52, 64,
67, 69, 70, 72, 79, 82, 84, 90, 96, 106, 114, 132, 143, 146, 149, 152, 184, 239, 246,
295.

8 January 1947

Dear Santa

H. rosmarinifolium? "I have found some difficulty in determining this plant. It is evidently the *H. fasciculatum* of Willdenow, but Willdenow has certainly mistaken the *H. fasciculatum* of Michaux, which he probably already described as the *H. galloides*. This plant was considered by Dr. Muhlenberg as the *H. rosmarinifolium* of Lamarck, and as the name ⁿ peculiarly appropriate, have retained it.

It has always appeared to me remarkable that this, which is in the low country of Carolina and Georgia, is the most common of our frutescent species, should have been overlooked by both Walter and Michaux.

As far' Stevie Elliott, here's what Parhamart
has: Am. Journ. Sci. 9: 275, 276. 1825. Bot. Gaz. 8: 249-253. 1883.

Parhamart. f. W.

140	<i>Hypericum aspalathoides</i>	26 Je 1812	2:27	Carolina no dat
141	Columbia, So Carolina	6 Je 1813		
142	<i>Ascyrum pumilum</i> Georgia, Chatham Co.	26 Mr 1814	2:21	Mr-Ap
N3	" <i>muticaule</i> <i>astellatum</i>	19 Au 1811	2:22	throughout the summer
144	"	19 Au 1811		
145	<i>Krigia virginica</i>	7 Ap 1811	2:24	fls in spring
146	<i>Sonchus carolinianus?</i>	17 My 1811	2:255	Mr-Ap
147	aff. Je	23 Ap 1813		
148	<i>Leontodon taraxacum</i> (an exotic now naturalized)	16 F 1811	2:250	Ja-Ap
N9	<i>Scorzonera pinnatifida</i>	21 Je 1811		
150	<i>Prenanthes alba</i>	28 O 1810	2: 259	S-O
N7	" <i>virgata</i>	28 O 1810	2: 258	O
152	<i>Cnicus horridulus</i>	11 Ap 1811	2:272	Mr-Ap
N3	" <i>glaber?</i>	26 Je 1811	2:270	My-Au
NY	" <i>Virginicus</i>	4 S 1812	2:270	Jl-S middle districts Carolina and Georgia
153	<i>Carthamus</i>	10 Ap 1811		
N7	<i>Liatris squarrosa</i>	25 Jl 1810	2:282	S-O
Liatris		18 S 1810	2:283	S-O
N7	" <i>odoratissima</i>	27 S 1810	2:277	Au-O Georgia to New Jersey
157	" <i>pilosa?</i>	27 S 1810		
N9	"	20 O 1810	2:283	S-O
160	" <i>paniculata</i>	14 Au 1811	2:279	Au-S
161	" <i>elegans</i>	8 S 1812		
162	" <i>acuta</i> <i>columbaria</i>	18 Jl 1810		
163	<i>Vernonia chrysocoma</i> Walt	28 Je 1812		Je-Au
164	" <i>oligophylla</i>	15 Jl 1810	2:286	Je-Jl
165	<i>Bidens frondosa</i>	22 Jl 1810	2:431	Je-S
166	" <i>chrysanthemoides</i>	9 Au 1811	2:429	O-N
167	" <i>bipinnata</i>		2:432	Jl-O

hrysopsis

CHEM mariana "The species which has been sent me from New Jersey by my much esteemed friend Dr. Torrey, of New York, as the *Inula Falcata* of Pursh, is certainly a very distinct species from this. It may be distinguished as *C. falcata foliis linear-lanceolatis, acutis, rigidis, sub falcatis; involucri squamis sub tomentosis.* The flowers in my specimen too are smaller than those of the *C. Mariana.*

✓ 8

9/26

1000 ft.

168	<i>Metananthera hastata</i>	21 Au 1811	✓	✓
169	<i>Persoonia lanceolata</i> Carters Iron Works, Columbia Co., Ga. pub as <i>Marshallia lanceolata</i>	no date	2:315	fls. Ap-May upper districts of Columbia & Georgia
170	<i>Senecio lyratus</i> pub as <i>lobatus</i>	9 Mr 1811	2:732	fls. Ja-May sometimes Oct.
171	" <i>hieracifolius</i>	19 Jl 1811	2:328	Je-S
172	" <i>obovatus</i> Vance's ferry on Santee River	13 Ap 1814	2:329	no date
173	<i>Conyza Marilandica</i>	31 Au 1811	2:320	Au-S
174	" <i>amplexicaulis</i>	14 Au 1812	3/322	Jl-S
175	" <i>as bifrons</i> <i>sinuata</i> Charleston	1 Je 1814	3/323	Ap-Jl around Charleston
176	" <i>pycnostachia</i> as very <i>Pterocaulon pycnostachia</i>	28 Je 1814	3/323	My-Au
177	<i>Gnophalium purpureo-sensum</i>	2 Ap 1812	2: 325	Mr-My
178	" <i>obtusifolium</i> as <i>polycephalum</i>	30 S 1812	2:325	S-O
179	<i>Erigeron canadense</i>	6 Jl 1810	2:397	Je-O
180	" <i>stoloniferum</i>	12 Ap 1811		
181	" <i>asteroideum</i>	26 Ap 1811		
182	" <i>nudicaule</i>	14 My 1811	2: 392	My-Je
183	" <i>sterile?</i>	8 Je 1811	2: 394	My-Au
184	" <i>Philadelphicum</i>	9 My 1812	2:396	F-Je
185	<i>Eclipta brachypoda</i>	4 O 1811	2:404	Jl-S Carolina
186	<i>Inula mariana?</i>	12 O 1810	2:336	see note
187	" <i>punctata</i>	13 O 1810	2:339	O
188	" <i>as scabra</i> <i>graminifolia</i>	16 O 1812	2:334	Jl-O
189	<i>Spilanthes repens</i>	28 S 1814		
190	<i>Buphthalmum frutescens</i>	3 S 1810	2:408	Je-O
191	<i>Tussilago integrifolia</i>	15 Mr 1811	2: 460	Mr-Ap
192	as <i>Chaptalia integrifolia</i>	8 Au 1812	2:399	Au-N on Ogeechee
193	<i>Boltonia glastifolia?</i>	27 Mr 1812	2:445	fls. Ap near Santee river, St. John's, Berkeley, Dr. James Santee
194	<i>Helenium vernale</i> as <i>Leptosoda puberula</i>	4 Au 1811	2:407	My-J frequent again in autumn
195	" <i>anthemis</i>	28 My 1813	2:405	My-J

196	<i>Coreopsis verticillata</i>	29 JI 1810	2:438, 439	fls. Je-Au
197	" <i>mitis</i>	28 S 1811	✓/440 ✓	Au-S
198	" _____	3 S 1812		
199	<i>Helianthus</i> _____	2 Au 1810		
200	" <i>atrorubens?</i>	2 O 1810	✓/ 411	S-O 4 miles from Beaufort
201	" <i>angustifolius</i>	2 O 1810	✓/ 415, 416	Au-O sometimes Ap
202	<i>Galardia lanceolata</i> pub as <i>G bicolor</i> near Mile Haven on Brier Creek	19 My 1812	✓/ 419	My-Ai middle country of Georgia
203	<i>Silphium asteriscus</i>	9 JI 1810	469	Je-Au
204	<i>Rudbeckia hirta</i>	9 Je 1811	457	Je-S
205	<i>Polynnia uvedalia</i>	12 JI 1811	471	Je-Au
206	<i>Orchis</i> is this <i>blephariglottis?</i> Beaufort	5 Au 1810	485	Jl-Au
207	" <i>cristata</i>	15 Au 1811	485	Jl-Au
208	" <i>ciliaris</i>	17 Au 1811	485	Jl-Au
209	<i>Arethusa pendula</i> 2 miles from Beaufort pub. as <i>Triphora pendula</i>	27 Au 1811	498	Jl-Au
210	<i>Malaxis unifolia</i> pub. as <i>Mphiglossoides</i> 5 miles from Charleston	29 My 1814	503	My-Je
211	<i>Urtica capitata</i> Beaufort	19 JI 1810	572	Jl-Au
212	" <i>urens</i>	9 Ja 1811	570	D-F common around Beaufort, St. Mary's, Ga
213	" <i>pumila</i>	26 Au 1811	569	Jl-S
214	<i>Amaranthus spinosus</i>	7 Au 1810	581	Jl-O
215	" _____	7 Au 1810		
216	" _____	fls. JI-O	9 Au 1810	
217	" <i>pumilis?</i>	23 Au 1811	580	Au-O
218	<i>Iva imbricata</i>	21 Au 1810	475	Jl-O
219	" <i>frutescens</i>	21 Au 1811	474	Jl-S

<i>Sagittaria</i>	<u>Beaufort</u>	18 Jl 1810		
" <i>lanceifolia</i>		15 My 1811	2:591	fls. Ap-Jo
" <i>graminea</i>		15 My 1811	592	Ap-Je
" <i>latifolia</i>	<i>sage</i>	28 S 1812	589	Au-O
<i>Hydrocharis spongiosa</i>		8 S 1810	713, 714	Jl-S
<i>Liquidambar styraciflum</i>		20 My 1810	621	Mr-Ap
<i>Juglans alba</i>		n.d.	624	Ap around Columbi
<i>Stillingia sylvatica</i>		16 My 1812	650	My-Je
" <i>schifera</i>		28 Je 1813	651	Je-Jl
<i>Cupressus disticha</i>		7 F 1812	642	F
<i>Phyllanthus obovatus</i> pub as <i>carolinensis</i>		28 O 1810	661	S-O Prince Willi nr Charleston
<i>Jatropa stimulosa</i>		7 Jl 1811	649	thru the whole summer
<i>Acalypha Virginica</i>		10 Jl 1810	645	Je-S
<i>Croton glandulosum</i>		8 Au 1810	647	Je-O
" <i>maritimum</i>		17 Au 1810	646	Je-O
<i>Melothria pendula</i>		9 Jl 1811	662	thru the whole summer
<i>Sa ix</i>		grows in deep gully ne W. John Elliot's house 3 miles from Sunbury		
" <i>caroliniana</i> pub as <i>nigra</i>		12 M 1812	671	Mr
<i>Ilex cassina</i>		3 Ap 1812	681	Mr-Ap
" <i>virgata</i>		19 My 1812	681	My
<i>Hixia carifera</i>		17 Mr 1812	678	Mr-Ap
<i>Zanthoxylum tricarpum</i>		9 Je 1811	690	Je
<i>Iresine celostoides</i> Edging Island		18 O 1810	695	S-O
<i>Veratrum luteum</i> pub as <i>dioica</i>		19 My 1811	1:423	fls. My not seen by me S.E.
<i>Dioscorea villosa</i>		23 Jl 1812	2:704	My-Jl
<i>Smilax pubera</i> pub as <i>pumila</i>		30 S 1811	700	S-O

<i>Smilax lanceolata</i>	2J1 1812	2:698	Fls. My-Je
<i>Prinos glaber</i>	10Mr 1812	707	Ap-M
<i>Andropogon macrourus</i>	16 O 1810	1:149	O
" <i>purpurascens</i> pub. as <i>scoparius</i>	18 O 1810	147	S-O
<i>A. nutans</i>	19 O 1810	144	S-O
<i>A. ternarius</i>	8 O 1811	147	n.d. grows in Mts. of Carolin
<i>A. ambiguus</i>	14 S 1811	145	S
<i>A. ciliatus</i> Beaufort	21 S 1811	144	S Pory Royal pine barrens
<i>A. alopecuroides</i> pub. as <i>Erianthus alopecuroides</i>	3 ♀ 1811	38	S-O
<i>A. brevibarbis</i>	4 ♂ 1811		
<i>A. virginicus</i> pub. as <i>dissitiflorus</i>	23 O 1812	149	O
<i>Ischdmum glabrum?</i> Santee	5 O 1814		
<i>Celtis occidentalis</i>	24 Mr 1812	2:584	Mr Beaufort
<i>Rhus copallina</i>	10 Au 1810	1:562	Au
<i>Glycine monoica</i> pub. as <i>Amphicarpa monoica</i>	n.d.	233	thru the summer
<i>Solidago sempervirens</i>	23 S 1810	✓ 379	S-O
<i>S. retrorsa</i>	23 S 1810	377	Au-O
<i>S. virgata</i>	15 O 1810	384	Je-O
<i>S. petiolaris</i>	17 Au 1811	583	Au-S Mts. Carolina
<i>S. discoidea?</i>	18 Au 1811		
<i>S. </i> Baeufort	6 S 1811		
<i>S. </i> ? <i>allisperma</i> Walt	15 S 1811		
<i>S. procera?</i> <i>odora</i> Mich.	28 S 1811	369	S-O
<i>S. scabra?</i> Muhl. <i>latifolia?</i> Walt.	5 O 181		
<i>S. lanceolata?</i> pub. as <i>graminifolia</i>	2 O 1812	591	S-O
<i>S. rugosa</i>	12) 1812	371	S-O

<i>Verbesina Siegesbeckia</i>	12 Jl 1811	✓ 411 Je-Au
<i>V. coreopsis</i>	29 S 1811	
<i>V. sinuata</i> Eddings Island Hilton Head	28 ♀ 1811	✓ 411 O-N Eddings Island Hilton Head
<i>V. Virginica</i>	13 S 1812	410 O-N middle country Carolina & Georgia
<i>Ambrosia paniculata</i>	n.d.	478 Jl-S
<i>Trifolium carolinianum?</i>	15 Ap 1812	✓ 200 Mr-My
<i>T. repens</i>	23 Ap 1812	✓ 201 Mr-My
<i>V. reflexum</i>	27 Ap 1812	✓ 202 Ap-My
<i>Elephantopus Carolinianus</i>	5 S 1811	✓ 408 Jl-S